



## Social Work in Rehabilitation Procedures

Siniša Franjić 

Independent Researcher, Croatia



### ABSTRACT

Social work endeavors to link various professional roles engaged in executing rehabilitation initiatives and supervising individuals from the moment they enter the program until they conclude their use of social services. In their duties, a social worker employs approaches such as advising, directing, providing information, and offering assistance to both the individual and their family. Through educational processes and psychosocial rehabilitation, the social worker consistently assesses the individual along with their needs and, based on evolving situations, starts the implementation of required protective measures while preparing the individual for other protective forms. They collaborate with multiple organizations and civic societies to address the social, educational, and rehabilitative requirements of the individual.

**Keywords:** Social Work, Social Worker, Social Support, Changes, Health Care.

### Introduction

The field of social work is a vocation dedicated to improving social functionality as well as overall well-being [1]. It also strives for social equity by confronting discrimination and honoring the diversity, cultures, and values of others. According to the British Association of Social Workers, “Social workers collaborate with individuals and families to enhance outcomes in their lives. This may involve safeguarding at-risk individuals from harm or abuse or aiding individuals in living independently ... acting as advocates ... frequently operating within multidisciplinary teams.” Social workers adopt a comprehensive perspective of individuals, which impacts the variety of interventions accessible within the field.

Social workers may find employment in numerous environments such as hospitals, community care facilities, rehabilitation centers, services for children and adolescents, adult protection, and mental health settings. The interventions offered can encompass counseling and family support, discharge planning from hospitals, group sessions, crisis management, problem resolution, advocacy, and community engagement.

The definition of social work by the International Federation of Social Workers emphasizes the primary responsibilities of the field (such as social unity and empowerment) alongside its

**Citation:** Siniša Franjić (2026). Social Work in Rehabilitation Procedures. *Social Work Reviews: an International Journal*.

**DOI:** <https://doi.org/10.51470/SWR.2026.5.1.01>

Received: 04 January 2026

Revised: 09 February 2026

Accepted: 04 March 2026

Available Online: April 01, 2026

Corresponding Authors: Siniša Franjić

Email: [sinisa.franjic@gmail.com](mailto:sinisa.franjic@gmail.com)

© 2026 by the authors. The license of *Social Work Reviews: an International Journal*. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>)

principles (like human rights and social equity) [2]. Utilizing an inclusive approach, social work interventions—such as therapy, counseling, group sessions, and community outreach—should focus on the interactions between individuals and their surroundings. Given that social determinants of health influence access, interventions, results, and shifts in healthcare, social work has historically been integrated into the health care framework.

Recipients included individuals suffering from long-term health issues that necessitate specialized treatment, such as rehabilitation, as well as those with significant healthcare usage patterns and older adults. The overall influence on health outcomes, healthcare utilization, and costs was predominantly favorable across all groups. The social model of disability, which forms the basis of the functional health model outlined in the International Classification of Functioning, Disability and Health (ICF), explains disability as a result of the interplay between a person's health condition and various environmental and personal factors. Social work is ideally suited to be a vital profession in rehabilitation because it adopts a person-in-environment perspective. With an emphasis on community-based rehabilitation, social workers should prioritize interventions that address community dynamics, administration, and society's views regarding individuals with disabilities. To highlight the significance of social work within the medical rehabilitation workforce, we will outline below the roles, interventions, and potential contributions of social work to the rehabilitation journey and its outcomes.

### Social Work

Social work is a profession aimed at assisting individuals in need [3]. Social workers engage with individuals, families, groups, and communities to help them address obstacles and fulfill their ambitions. They employ various strategies, including counseling, advocacy, and case management. The foundation of social work is rooted in the belief that everyone deserves a quality life. Social workers hold the view that, with appropriate support, individuals can surmount difficulties and reach their objectives.

Additionally, they advocate for the necessity of working to alter social circumstances that lead to issues like poverty, inequality, and discrimination.

Social work encompasses a vast area, with practitioners operating in multiple environments. Some social workers are engaged in private practice, while others are found in governmental bodies, healthcare institutions, educational facilities, and various organizations. Social workers may also specialize in various domains, such as child welfare, mental health, and criminal justice. This profession is challenging yet rewarding. Social workers significantly impact the lives of those they assist, contributing to a better world. In the realm of disability, social workers have a vital role, advocating for the rights of individuals with disabilities, offering support, and fostering inclusion and accessibility. Disability is a multifaceted issue affecting people of all ages and financial backgrounds. Individuals with disabilities often encounter substantial hurdles in accessing fundamental services such as education, employment, healthcare, and housing. Social workers are equipped professionals possessing the knowledge, skills, and experience necessary to tackle these challenges, enabling individuals with disabilities to lead fulfilling and independent lives.

Professionals in disability management may educate and inform other professionals, families, and the community about disability issues. They can also provide guidance to individuals with disabilities concerning their rights and the process of obtaining services and supports. Furthermore, they may engage in disability-focused research aimed at improving the quality of life for people with disabilities by creating innovative methods to offer services and supports.

### **Social Support**

The impact of social support on health is well recognized; it correlates with decreased mortality rates, enhanced resistance to infectious diseases, lower occurrence and prevalence of coronary heart conditions, and quicker recovery from heart issues and related surgeries [4]. Generally speaking, people with limited psychosocial resources seem to be at a higher risk for illness and emotional disturbances during times of increased stress compared to those who possess significant social support. Social support is believed to influence health in two primary ways. The buffering hypothesis suggests that individuals gain from social support solely during stressful life events; this assistance helps them to feel less stressed when confronting difficult situations. In contrast, the direct effect hypothesis proposes that social connections enhance health and well-being irrespective of the level of stress an individual is experiencing; this support instills a sense of security, ensuring that assistance is available when needed or helps prevent feelings of loneliness. Social support is associated with the pleasurable aspects of positive psychology. By offering stability, predictability, and a sense of control, social support enables individuals to have a positive perception of themselves and their surroundings. These positive feelings, in turn, encourage individuals to prioritize self-care, engage more positively with others, and exhibit resilience during stressful times. Additionally, compared to those who are downcast, happy individuals tend to find it simpler to cultivate a robust network of social support.

### **Individual Perspective**

The field of social work has been a well-established part of the healthcare sector [5]. Various terms describe the role of social workers, including medical, health, or clinical social workers. Within a healthcare environment, social work focuses on assisting individuals with health conditions who struggle to live independently or are at risk of being limited in their social or work participation. Social workers collaborate with an interprofessional team to address the psychosocial needs of patients using a bio-psycho-social framework. They implement a wide range of complex interventions characterized by diverse components, target populations, settings, and a high degree of adaptability.

The social support network offers a buffer and protection as individuals experience development and face crises [6]. From smaller groups to broader networks, social support represents a dynamic system that provides care, resources, and safeguarding. Within interconnected layers of systems—such as families, groups, and larger communities—individuals build a network of distinctive relationships. In these connections, support is exchanged, which can be emotional (through feelings of esteem and trust), evaluative (through validation and social comparison), informational (by giving advice and guidance), or practical (by providing resources like money and time). These sources of support shape norms and values and filter information that influences health-related behaviors.

Health is frequently perceived from a personal standpoint, where one's lifestyle and choices dictate one's health condition. However, people do not exist in solitude. Each individual is intertwined with various relationships within a social and cultural framework characterized by ongoing and adaptive interactions. Strong, supportive social connections significantly affect individuals' health in numerous ways. Health-promoting strategies cannot be designed for individuals without considering this social framework and, more importantly, without integrating the social and cultural connections. An examination of environments conducive to health highlights "the interactions between individual or group actions and the health resources and limitations present in specific environmental contexts." Neglecting to include a person's family and community restricts the possibility for meaningful changes and the lasting effectiveness of those changes.

### **Interventions**

Social workers have the ability to assist clients recovering in hospitals, rehabilitation centers, or community-based environments [1]. This role is closely integrated with the entire multidisciplinary team (MDT). The social worker frequently assumes a coordinating position within the team to enhance communication and organize discharge plans.

Numerous interventions can be offered by the social worker in a rehabilitation environment. A thorough psychosocial evaluation can identify the necessary and suitable interventions. To conduct this evaluation, information may be collected from the patient, their medical records, family members, and other relevant parties. The gathered data should reflect the patient's age, the reasons for their hospital admission, their support systems within the immediate family, extended relatives, and the broader community, current capabilities, home environmental factors, strengths, as well as goals and aspirations for the future. The evaluation should conclude with a collaboratively established action plan.

This might involve reaching out to family members for a collateral history (their viewpoints on pertinent matters), offering emotional support, making referrals to community resources, arranging a care planning discussion, or initiating discharge preparations among various other tasks. Within rehabilitation environments, the social worker's responsibilities should encompass providing emotional assistance to both the patient and their family regarding the changes they are experiencing and the effects on their relationships and desires. The social worker should also promote advance care planning and provide support related to it. This role entails collaborating with the patient and family to enhance quality of life while respecting the individual's integrity and advocating for their preferences.

### **Abuse**

A social worker consistently plays a part in protecting at-risk adults and children [1]. It is essential to be aware of various forms of abuse and remain vigilant. These include physical abuse (which encompasses hitting, slapping, pushing, and restraint), sexual abuse (engaging in sexual activities without the person's consent or their inability to provide consent), psychological abuse (includes threats, humiliation, blaming, isolation, and denying access to essential services), financial abuse (theft, fraud, exploitation, and coercing regarding wills), institutional abuse (substandard care, stringent routines, and inadequate responses to intricate needs), neglect (ignoring essential needs, failing to provide access to services, and withholding basic necessities like heat or medication), and discriminatory abuse (ageism, racism, and sexism). The complexities of abuse can often be subtle and challenging to identify, making it critical to establish a local protocol for recognizing, reporting, and averting elder abuse. If uncertainties arise, it is advisable to consult with the social worker within the team, who can assist in creating an action plan. The topic of safeguarding can pose challenges in rehabilitation, especially in instances of cognitive impairment or when the individual previously faced vulnerability. Safeguarding issues can also span different contexts; for example, in a rehabilitation setting for older adults, it may be possible to detect safeguarding concerns regarding children being cared for by an older adult experiencing cognitive difficulties.

### **Changes**

In a rehabilitation context, social workers may take on a central role in assisting a patient and their family as they adapt to the new circumstances [1]. When it comes to rehabilitation, the roles often require reevaluation since prior roles may no longer be applicable or feasible due to disability. Social workers can assess the effects of changes in physical condition, emotional states, and dynamics within relationships. Feelings of depression and anxiety frequently arise in rehabilitation environments. Social workers can support patients in addressing their emotions and exploring potential solutions. In one-on-one sessions with patients, the social worker should examine how physical limitations might affect intimacy in relationships—what had been normal before and what the likely future implications are. It is crucial to approach this topic openly, as it is often overlooked. Disabilities, such as those resulting from a stroke, can significantly alter the experience of sexuality for both the patient and their partner, both physically and emotionally.

Each member of the couple may have worries or queries, so starting this dialogue can benefit them both. For instance, a patient may discover they have diminished interest in sex, an increased sex drive, or concerns regarding their new physical appearance. The partner might fear causing harm or worry that their needs will remain unfulfilled.

Cognitive alterations should be investigated by the social worker as well. What effect does this have on the individual, their relatives, and their overall lives? What measures can be taken to provide support and prepare for what's ahead? If it appears that rehabilitation will offer only slight enhancements to the individual's abilities, the social worker can assist in identifying community resources that will be essential for the person to uphold their dignity and maintain as much independence as they can.

### **Care Planning**

It is essential for social workers to engage in discussions about upcoming care strategies with their clients [1]. Individuals aged 50 and older ought to consider organizing their future, determining their preferences for various scenarios, conversing with family members, and recording their desires. Sadly, this planning often does not occur until a stroke or another health issue compels individuals to confront these matters. The social worker can provide insights into future care planning and may suggest particular documents that aid individuals in having these discussions and noting their preferences. Numerous helpful forms exist in most nations, covering various topics such as emergency contact details, care choices, spiritual or religious beliefs, advance healthcare directives, legal and financial matters, and preferences regarding end-of-life issues. In the short term, the patient might require help with connecting to community services that offer support at home during rehabilitation or even for an extended period. The social worker can also provide guidance and promote dialogue about care facilities and the procedures involved for the patient and their families. The social worker must remember that the patient is their primary concern, and they should advocate for the patient's preferences.

### **Community Care**

The management of care must be assessed due to the intricate aspects of cognitive impairment following brain injuries and the methods required to enhance functionality [7]. Ensuring that various neural-cognitive elements and their regulators effectively work together is crucial for overall cognitive performance. Treatment strategies should not only focus on individual functions but also on how these functions can be effectively combined. Therefore, at an organizational level, proficient care may necessitate collating knowledge typically dispersed among various fields.

Care provisions may need restructuring to more effectively confront the numerous challenges experienced by those with brain injuries. This could require a collaborative approach where team members address and emphasize shared themes and concerns involving psychological and emotional wellness, mental health, social services, case management, medication management, educational or vocational support, family dynamics, and beyond. Considering the interactions between emotional states and cognitive processes is especially pertinent due to the common occurrence of traumatic brain injuries alongside post-traumatic stress reactions. Certain themes or strategies may be utilized by various professionals, enhancing the likelihood of achieving therapeutic objectives.

Practitioners might need to broaden their skill sets, for instance, by integrating techniques that connect cognitive rehabilitation with mental health care, pain relief, and substance dependence. Given the compounded issues of possible diminished awareness, susceptibility to confusion, and challenges in integrating various approaches mentally, an integrated, patient-focused strategy would be ideal.

Telemedicine methods could widen the scope of therapy, and innovative tools for enhancing remote therapeutic interventions will be essential. The rollout of telemedicine solutions for tackling complex challenges such as cognitive impairment is still in early stages. Tools that assist therapy through computer programs may help overcome physical distance, although engagement levels, adherence, and monitoring should be considered to optimize treatment efficacy. For instance, the creation of computer-based cognitive training programs that can be facilitated remotely but monitored by professional therapists using telecommunication tools might prove beneficial. Another significant obstacle is the gap between healthcare and the community. Traditional care that has been confined to medical facilities needs to create stronger links with each person's community environment. Telecommunication systems, such as video sessions linking therapists and patients at home, as well as the development of therapy frameworks that bridge the gap between medical facilities and home, school, or occupational settings, could be effective.

### Home Care

For clients undergoing therapy at home, home visits provide health professionals a valuable chance to evaluate economic, physical, and environmental challenges affecting medical and functional recovery [8]. This process is often called a home safety assessment and may be conducted by nurses or physical or occupational therapists. An analysis of spaces like the kitchen and refrigerator, bathroom, bedroom arrangements, medication storage, flooring, and the overall cleanliness of the residence yields significant insights into a patient's living conditions and potential requirements. A home safety assessment may lead to the installation of features such as grab bars, elevated toilet seats, shower benches, Hoyer lifts, and bedside commodes. A social worker referral may be initiated to enhance support for an individual receiving care. Referrals could include services like Meals on Wheels, the Friendly Visitor Program, local assistance agency offerings, and doctors who visit homes. Applications for transport services, often referred to as ambulette services, can be set up, and patients may receive guidance and support for financial issues and planning for long-term care. Social workers in RITH, or Rehabilitation in the Home, fulfill a crucial function in delivering assistance to both patients and their families [9]. They help arrange care, offer emotional support to family members and caregivers, and coordinate with other healthcare professionals and service organizations that are part of the long-term rehabilitation process. However, unlike some other health-related professions, social work in RITH lacks well-defined metrics for measuring outcomes, making it harder to demonstrate the effectiveness of social work initiatives. The quest for establishing outcome metrics has been a longstanding goal in the social work sector, though achieving this has frequently been regarded as difficult due to the inherent complexities of social work practice.

### Conclusion

The structured practices of a social worker are intended to quickly and effectively address problems within social welfare, founded on the gathering of historical information. In pursuit of this goal, the social worker closely collaborates with the patient's family and the relevant social welfare center to gather a complete understanding of the patient's circumstances in their specific context to identify the best possible assistance and ensure the rights within the social welfare system are realized. By working within a team, the social worker aims to enhance the quality of the patient's hospital experience, ultimately focusing on their rehabilitation and reintegration into society.

### References

1. de Wilde, C. (2021): „Social Work“ in O'Hanlon, S.; Smith, M. (eds): „A Comprehensive Guide to Rehabilitation of the Older Patient, Fourth Edition“, Elsevier, London, UK, pp. 91. – 93.
2. Knoop, Tobias & Freymüller, Nadja & Meyer-Feil, Thorsten & Rathore, Farooq. (2025). Social Work in Rehabilitation: Roles, Interventions, and a New Theoretical Model. *Journal of the Pakistan Medical Association*. 75. 839-841. 10.47391/JPMA.25-41.
3. Ramachandran, R. (2024): „Role of Social workers in the field of Disability Rehabilitation“ in Ramachandran, R.; Das, H. (eds): „Best practices in Social Work - Disability Rehabilitation“, National Institute for Empowerment of Persons with Multiple Disabilities, Chennai, India, pp. 1. – 17.
4. Gorin, S. S. (2006): „Models of Health Promotion“ in Gorin, S. S.; Arnold, J. (eds): „Health Promotion in Practice“, Jossey-Bass, John Wiley & Sons, Inc., San Francisco, USA, pp. 30. – 31.
5. Freymüller N, Knoop T, and Meyer-Feil T (2024) Social work practice and outcomes in rehabilitation: a scoping review. *Front. Rehabil. Sci.* 5:1348294. doi: 10.3389/fresc.2024.1348294
6. Gemma, P. B.; Arnold, J. (2006): „Enhancing Development“ in Gorin, S. S.; Arnold, J. (eds): „Health Promotion in Practice“, Jossey-Bass, John Wiley & Sons, Inc., San Francisco, USA, pp. 511. – 512.
7. Chen, A. J. W.; Novakovic-Agopian, T. (2012): „Interventions to Improve Cognitive Functioning After TBI“ in Tsao, J. W. (ed): „Traumatic Brain Injury - A Clinician's Guide to Diagnosis, Management, and Rehabilitation“, Springer Science+Business Media, New York, USA, pp. 303. – 304.
8. Lee, T. Y.; Ganz, S. B. (2009): „Geriatric Issues in Cancer Rehabilitation“ in Stubblefield, M. D.; O'Dell, M. W. (eds): „Cancer Rehabilitation - Principles and Practice“, Demos Medical Publishing, LLC, New York, USA, pp. 875.
9. Mira Patterson, Tara Dowd, Lynelle Watts & David Hodgson (2025) Developing and trialling a social work outcomes framework in a community rehabilitation health setting, *Social Work in Health Care*, 64:4-5, 156-169, DOI: 10.1080/00981389.2025.2506402